



Energy | Chemical/petrochemical industry | Oil & gas | Water/wastewater

Pressure gauges in the process industry



Smart in sensing



Alexander Wiegand,
Chairman and CEO

About us

As a family-run business acting globally, with over 10,200 highly qualified employees, the WIKA group of companies is a worldwide leader in pressure and temperature measurement. The company also sets the standard in the measurement of level, force and flow, and in calibration technology.

Founded in 1946, WIKA is today a strong and reliable partner for all the requirements of industrial measurement technology, thanks to a broad portfolio of high-precision instruments and comprehensive services.

With manufacturing locations around the globe, WIKA ensures flexibility and the highest delivery performance. Every year, over 50 million quality products, both standard and customer-specific solutions, are delivered in batches of 1 to over 10,000 units.

With numerous wholly owned subsidiaries and partners, WIKA competently and reliably supports its customers worldwide. Our experienced engineers and sales experts are your competent and dependable contacts locally.

Global player for mechanical pressure measuring instruments




Presence in over 80 countries

Think global, act local: WIKA is represented around the world by numerous wholly owned subsidiaries and other sales agencies. And because we are local, we understand the relevant country-specific requirements, standards and applications. This is how we ensure individual support to our customers.

This makes us unique

- Global production sites
- Qualified technological know-how
- Unrivalled breadth and depth of products
- Practical expertise in manufacturing processes
- Perfected lean management
- Customer-focused consulting and service

Benefit from our many years of experience



Practical expertise in manufacturing processes

Manufacturing processes and procedures at WIKA are based on many years of experience. This technical expertise in processes is typically documented within process control plans as well as documented procedures and work instructions. New or modified processes are evaluated with regard to performance and quality and released for manufacturing by process sign-offs.

Core processes within the pressure gauge production are, for example, welding with subsequent 100 % leak test as well as a 100 % calibration and adjustment of the instruments. It is not only the processes that are clearly defined, but also the employees who are appropriately trained. Here, WIKA has placed a high value on the internal training in the “Welding Academy” and the “Adjustment Academy”.

Perfected lean management

Production processes are designed and continuously improved in accordance with the WIKA Production System (WPS), based on the KAIZEN philosophy. The environment and energy programme is also refined continuously within the meaning of “continual improvement”. Complex problems are dealt with in a structured way by in-house Black Belts using the Six Sigma Method, thus ensuring lasting solutions.

Through the WPS, we pursue the objective of improving the quality of the products and processes, and thus to achieve the highest possible customer satisfaction through the best quality, the highest delivery reliability as well as attractive delivery times and prices. Customer orientation is at the centre of all our efforts at WIKA.

Customer-focused consulting and service

Our sales organisation not only offers you standard products, but also our consulting competence for complete mounting arrangements. As a reliable partner in the contractor business, we can support you through all phases of the project, from planning, through the realisation and implementation of the project to technical inspections, logistics solutions, on-site support and after-sales service. We also offer you a

comprehensive range of services in calibration technology through our worldwide subsidiaries which are accredited to country-specific regulations, on-site service of your instruments, calibration equipment and also consulting and training in the field of calibration.

7 selection criteria lead you to the right standard



Model	Pressure type			Scale range					Aggregate state of the medium		
	Absolute pressure	Gauge pressure	Differential pressure	< 16 mbar	≤ 0.6 bar	≤ 40 bar	≤ 650 bar	≤ 1,600 bar	Gas or vapour	Liquid with low viscosity	Liquid with high viscosity
232.50	○	●	○	○	○	●	●	●	●	●	○
232.30	○	●	○	○	○	●	●	●	●	●	○
432.50	○	●	○	○	●	●	○	○	●	●	●
532.51	●	○	○	○	●	●	○	○	●	●	○
632.50	○	●	○	●	●	○	○	○	●	○	○
732.51	○	○	●	○	●	●	○	○	●	●	○
732.14	○	○	●	○	●	●	●	○	●	●	○

- possible
- not possible



Model 232.50

The first choice for scale ranges from 0.6 bar



Model 232.30

For the highest safety Category S3 in accordance with EN 837



Model 432.50

For low pressure ranges, high overload safety, critical media

4

5

6

7

Wetted materials			Indication accuracy				Nominal size			Special features		
Stainless steel	Monel	Special materials	0.6 %	1.0 %	1.6 %	2.5 %	63 mm	100 mm	160 mm	Safety version in accordance with EN 837, category S3	Liquid filling	Increased overload safety
●	●	●	○	●	●	○	●	●	●	○	●	○
●	●	●	○	●	●	○	●	●	●	●	●	○
●	●	●	●	●	●	●	○	●	●	●	●	●
●	●	○	●	●	●	●	○	●	●	●	●	●
●	○	○	○	●	●	○	●	●	●	○	●	○
●	○	○	○	○	●	○	○	●	●	●	●	○
●	○	●	○	○	●	○	○	●	●	○	●	●



Model 632.50

For very low pressure ranges



Model 532.51 – 532.54

Absolute pressure measurement



Model 732.51

Differential pressure with all-welded media chamber



Model 732.14

Differential pressure with overload safety

The products in detail

These measuring instruments for the process industry are manufactured completely from stainless steel for increased corrosion resistance. They are developed, qualified and process-monitored in production in line with the EN 837 standard. The core components are WIKA's internally developed measuring systems and the Swiss precision movement. For harsh operating conditions, all instruments are also available with liquid filling.


All instruments are also available with electrical output signals or switch contacts. Thus, not only does a measuring point provide an on-site display without the need for a power supply, but also it provides an electrical output signal for monitoring or control.



Mechanical version	Model 232.50	Model 232.30	Model 432.50	
Pressure type	Gauge pressure	Gauge pressure	Gauge pressure	
Scale range	0 ... 0.6 to 0 ... 1,600 bar	0 ... 0.6 to 0 ... 1,600 bar	0 ... 16 mbar to 0 ... 25 bar	
Medium	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive ■ Highly viscous ■ Crystallising 	
Nominal size [mm]	63, 100, 160	63, 100, 160	100, 160	
Accuracy class	1.6 / 1.0	1.6 / 1.0	1.6 / 2.5 optional 0.6 / 1.0	
Safety version	Category S1 in accordance with EN 837	Category S3 in accordance with EN 837	Category S1 in accordance with EN 837	
Overload safety	NS 63 <ul style="list-style-type: none"> ■ Full scale value NS 100, 160 <ul style="list-style-type: none"> ■ 1.3 x full scale value 	NS 63 <ul style="list-style-type: none"> ■ Full scale value NS 100, 160 <ul style="list-style-type: none"> ■ 1.3 x full scale value 	5 x full scale value, max. 40 bar, optional 10 x full scale values	

Mechatronic version

With switch contacts	Model PGS23	Model PGS23	Model PGS43	
With electrical output signals		Model PGT23	Model PGT43	



	Model 632.50	Models 532.51, 532.52, 532.53, 532.54	Model 732.51	Model 732.14
	Gauge pressure	Absolute pressure	Differential pressure	Differential pressure
	0 ... 2.5 to 0 ... 600 mbar	0 ... 25 mbar to 0 ... 25 bar	0 ... 16 mbar to 0 ... 25 bar	0 ... 60 mbar to 0 ... 40 bar
	<ul style="list-style-type: none"> ■ Gaseous ■ Dry ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive ■ Highly viscous ■ Crystallising 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Aggressive 	<ul style="list-style-type: none"> ■ Gaseous ■ Liquid ■ Corrosive ■ Viscous ■ Aggressive
	63, 100, 160	100, 160	100, 160	100, 160
	1.6 optional 1.0	0.6 / 1.0 / 1.6 / 2.5	1.6	1.6 / 2.5
	Category S1 in accordance with EN 837	Category S1 in accordance with EN 837	Category S1 in accordance with EN 837	
	Full scale value	max. 25 bar	max. 40 bar	40, 100, 250 or 400 bar

Model 632.50 with 8xx	Model 532.53 with 8xx	Model DPGS43	Model DPGS43HP
Model PGT63HP	Model APGT43	Model DPGT43	Model DPGT43HP

Mechatronic versions

Pressure gauges with electrical output signal

intelliGAUGE®

A pressure gauge with an electrical output signal from the intelliGAUGE series combines all the advantages of a local display, without the need for a power supply, with the requirements of an electrical signal transfer for a modern electronic measured value registration.

A magnet on the pointer shaft rotates proportionally to the instrument pointer as a direct linear function of the process pressure. The electronics positioned opposite the magnet register the rotary motion of the magnet. A magnetic-field-dependent sensor picks up this change on the electronic side, contact-free, wear-free and without influence on the pressure element. The sensor signal, proportional to the deflection, is converted to an electrical output signal via an amplifier (US patent no. 8.030.990).



Pressure gauges with switch contacts

switchGAUGE

Switch contacts built into mechanical pressure measuring instruments close or open circuits depending on the process pressure. They can be used for various monitoring functions when a measured value either falls below or exceeds a preset value. Switch contacts are fitted behind the dial and can be set over the entire scale range using the set pointer. The instrument pointer (actual value pointer) moves freely across the entire scale range, independent of the setting. The contacts can be adjusted individually, using a removable adjustment key in the window.



For general applications	For hazardous areas	For PLC	For general applications and PLC
Magnetic snap-action contact	Inductive contact	Electronic contact	Reed contact
			
Model 821	Model 831	Model 830 E	Model 851

More possibilities due to numerous extras

Options

- Liquid fillings
- Special materials such as Monel, Hastelloy, PTFE, nickel, tantalum, titanium, silver
- Mounting and fitting solutions (e. g. clamping ring, ...)

Certificates, approvals

- 2.2 test report, 3.1 inspection certificate
- Approvals such as GOST, NACE, DVGW, VdTÜV and many others
- CE conformity (ATEX, PED, EMC, LVD)

Instrument hook-ups with valves and diaphragm seals

On request, WIKA offers the professional assembly of pressure measuring instruments with valves, diaphragm seals and also other accessories into a ready-to-install solution.



WIKA worldwide

Europe

Austria

WIKA Messgerätevertrieb
Ursula Wiegand GmbH & Co. KG
Tel. +43 1 8691631
info@wika.at / www.wika.at

Benelux

WIKA Benelux
Tel. +31 475 535500
info@wika.nl / www.wika.nl

Bulgaria

WIKA Bulgaria EOOD
Tel. +359 2 82138-10
info@wika.bg / www.wika.bg

Croatia

WIKA Croatia d.o.o.
Tel. +385 1 6531-034
info@wika.hr / www.wika.hr

Denmark

WIKA Danmark A/S
Tel. +45 4581 9600
info@wika.as / www.wika.as

Finland

WIKA Finland Oy
Tel. +358 9 682492-0
info@wika.fi / www.wika.fi

France

WIKA Instruments s.a.r.l.
Tel. +33 1 787049-46
info@wika.fr / www.wika.fr

Germany

WIKA Alexander Wiegand SE & Co. KG
Tel. +49 9372 132-0
info@wika.de / www.wika.de

Italy

WIKA Italia S.r.l. & C. S.a.s.
Tel. +39 02 93861-1
info@wika.it / www.wika.it

Poland

WIKA Polska spółka z ograniczoną
odpowiedzialnością sp. k.
Tel. +48 54 230110-0
info@wikapolska.pl
www.wikapolska.pl

Romania

WIKA Instruments Romania S.R.L.
Tel. +40 21 4048327
info@wika.ro / www.wika.ro

Russia

AO "WIKA MERA"
Tel. +7 495-648018-0
info@wika.ru / www.wika.ru

Serbia

WIKA Merna Tehnika d.o.o.
Tel. +381 11 2763722
info@wika.rs / www.wika.rs

Spain

Instrumentos WIKA S.A.U.
Tel. +34 933 9386-30
info@wika.es / www.wika.es

Switzerland

WIKA Schweiz AG
Tel. +41 41 91972-72
info@wika.ch / www.wika.ch

Türkiye

WIKA Instruments
Endüstriyel Ölçüm Cihazları Tic. Ltd. Şti.
Tel. +90 216 41590-66
info@wika.com.tr
www.wika.com.tr

Ukraine

TOV WIKA Prylad
Tel. +38 044 496 83 80
info@wika.ua / www.wika.ua

United Kingdom

WIKA Instruments Ltd
Tel. +44 1737 644-008
info@wika.co.uk / www.wika.co.uk

North America

Canada

WIKA Instruments Ltd.
Tel. +1 780 4637035
info@wika.ca / www.wika.ca

USA

WIKA Instrument, LP
Tel. +1 770 5138200
info@wika.com / www.wika.us

Gayesco-WIKA USA, LP

Tel. +1 512 3964200
info@wikahouston.com
www.wika.us

Mensor Corporation

Tel. +1 512 3964200
sales@mensor.com
www.mensor.com

Latin America

Argentina

WIKA Argentina S.A.
Tel. +54 11 5442 0000
ventas@wika.com.ar
www.wika.com.ar

Brazil

WIKA do Brasil Ind. e Com. Ltda.
Tel. +55 15 3459-9700
vendas@wika.com.br
www.wika.com.br

Chile

WIKA Chile S.p.A.
Tel. +56 9 4279 0308
info@wika.cl / www.wika.cl

Colombia

Instrumentos WIKA Colombia S.A.S.
Tel. +57 601 7021347
info@wika.co / www.wika.co

Mexico

Instrumentos WIKA Mexico S.A. de C.V.
Tel. +52 55 50205300
ventas@wika.com / www.wika.mx

Asia

China

WIKA Instrumentation Suzhou Co., Ltd.
Tel. +86 512 6878 8000
info@wika.cn / www.wika.com.cn

India

WIKA Instruments India Pvt. Ltd.
Tel. +1800-123-101010
info@wika.co.in / www.wika.com.in

Japan

WIKA Japan K. K.
Tel. +81 3 5439-6673
info@wika.co.jp / www.wika.co.jp

Kazakhstan

TOO WIKA Kazakhstan
Tel. +7 727 225 9444
info@wika.kz / www.wika.kz

Korea

WIKA Korea Ltd.
Tel. +82 2 869-0505
info@wika.co.kr / www.wika.co.kr

Malaysia

WIKA Instrumentation (M) Sdn. Bhd.
Tel. +60 3 5590 6666
info@wika.my / www.wika.my

Philippines

WIKA Instruments Philippines Inc.
Tel. +63 2 234-1270
info@wika.ph / www.wika.ph

Singapore

WIKA Instrumentation Pte. Ltd.
Tel. +65 6844 5506
info@wika.sg / www.wika.sg

Taiwan

WIKA Instrumentation Taiwan Ltd.
Tel. +886 3 420 6052
info@wika.tw / www.wika.tw

Thailand

WIKA Instrumentation Corporation
(Thailand) Co., Ltd.
Tel. +66 2 326 6876
info@wika.co.th / www.wika.co.th

Uzbekistan

WIKA Instrumentation FE LLC
Tel. +998 71 205 84 30
info@wika.uz / www.wika.uz

Africa/Middle East

Botswana

WIKA Instruments Botswana (Pty.) Ltd.
Tel. +267 3110013
info@wika.co.bw / wika.co.bw

Egypt

WIKA Near East Ltd.
Tel. +20 2 240 13130
info@wika.com.eg / www.wika.com.eg

Namibia

WIKA Instruments Namibia Pty Ltd.
Tel. +26 4 61238811
info@wika.com.na / www.wika.com.na

Nigeria

WIKA WEST AFRICA LIMITED
Tel. +234 17130019
info@wika.com.ng / www.wika.ng

Saudi Arabia

WIKA Saudi Arabia LLC
Tel. +966 53 555 0874
info@wika.sa / www.wika.sa

South Africa

WIKA Instruments Pty. Ltd.
Tel. +27 11 62100-00
sales@wika.co.za / www.wika.co.za

United Arab Emirates

WIKA Middle East FZE
Tel. +971 4 883-9090
info@wika.ae / www.wika.ae

Australia

Australia

WIKA Australia Pty. Ltd.
Tel. +61 2 88455222
sales@wika.com.au / www.wika.com.au

New Zealand

WIKA Instruments Limited
Tel. +64 9 8479020
info@wika.co.nz / www.wika.co.nz

WIKA Alexander Wiegand SE & Co. KG
Alexander-Wiegand-Straße 30 | 63911 Klingenberg | Germany
Tel. +49 9372 132-0 | info@wika.de | www.wika.de

14086321 04/2023 EN



You can find further
information here!



Smart in sensing

www.wika.com